

Conservation physiology today and tomorrow

Dr. Steven J. Cooke

Editor-in-Chief, Conservation Physiology
Canada Research Chair, Carleton University, Ottawa, Ontario, Canada
Steven_Cooke@carleton.ca

Some eight years ago Martin Wikelski and I started musing about how physiological knowledge and tools could be used to understand conservation problems. We were certainly not the first to do so, but we were able to codify the idea by coining the term ‘conservation physiology’ (Wikelski and Cooke, 2006), which has been embraced by many. When the leadership at the Society of Experimental Biology (SEB), including Tony Farrell, Craig Franklin, and Paul Hutchinson, embarked on a plan to launch a new journal, the topic of conservation physiology quickly rose to the top, given its timeliness and potential to engage both plant and animal researchers. That was nearly two years ago. Today I am thrilled to launch the second volume of the journal *Conservation Physiology*, published jointly by Oxford University Press (OUP) and the SEB. Here I briefly reflect on the first year (2013) of contributions to *Conservation Physiology* and consider what can be expected in 2014 and beyond.

The *Conservation Physiology* submission portal opened quietly in December of 2012 and, with negligible advertising, we started receiving submissions. The inaugural paper (Cooke *et al.*, 2013) was published in March, with the official launch of the journal occurring with great fanfare at the SEB Annual Meeting in Valencia, Spain in July. As of December 2013, Volume 1 had over 30 papers published, with another handful of accepted articles in production. The content is remarkably diverse, spanning taxa including plants (Funk, 2013), invertebrates (Timmins-Schiffman *et al.*, 2013), fish (Brix and Grosell, 2013), marine mammals (Burgess *et al.*, 2013), terrestrial mammals (Freeman *et al.*, 2013), herpetofauna (Stacy *et al.*, 2013), and birds (Milenkaya *et al.*, 2013).

Likewise, the topics are diverse, but two topical areas certainly emerge, i.e. non-invasive methods of studying disturbance and/or reproductive state in wild animals, and the effects of environmental change on organismal physiology and survival. The former topic has included contributions that review the tools available for studying the physiology of free-living whales (Hunt *et al.*, 2013) and amphibians (Narayan, 2013), as well as empirical studies that use ‘fake’ eggs with heart-rate sensors to assess human disturbance

thresholds in penguins (Ellenberg *et al.*, 2013) and faecal glucocorticoid sampling to assess logging and hunting disturbance in primates (Rimbach *et al.*, 2013). The latter topic, environmental change, has included papers that examine how climate change modifies host–parasite interactions (Rohr *et al.*, 2013) and considering how thermal conditions influence the respiratory physiology of migratory Pacific salmon (Eliason *et al.*, 2013). Other environmental changes have also been considered, including modified nutrient conditions in phosphorus-limited environments and their influence on native plant diversity (Lambers *et al.*, 2013), as well as the effect of increased CO₂ conditions on the aerobic scope of reef fish (Rummer *et al.*, 2013). A refreshing characteristic of nearly all of the content is that it extends beyond documenting ‘problems’ towards proposing and even testing possible solutions [e.g. bycatch reduction for sharks using knowledge of sensory physiology (Jordan *et al.*, 2013); refinement of seed-banking procedures for wild plants (Hay and Probert, 2013); and testing recovery protocols for fish exhausted by capture prior to release (Robinson *et al.*, 2013)]. Such solution-based approaches are urgently needed in conservation science (Salafsky *et al.*, 2002; Balmford and Cowling, 2006).

For those working in the area of conservation physiology, a number of challenges exist. The single biggest challenge is to ensure that findings are relevant to conservation practitioners (Cooke and O’Connor, 2010). In other words, although mechanistic research in conservation is important, it is equally important to ensure that it is clear what such data mean. The challenge is even greater given that physiologists tend to work at the level of the molecule, cell, or organism, while conservation practitioners and managers focus on populations and species. Reconciling those differences in organizational scale by demonstrating how physiology influences behaviour, fitness, and demography remains an important goal for conservation physiology. Nonetheless, given the ability of physiological tools to develop cause-and-effect relationships (Carey, 2005), conservation practitioners have the potential to be provided with findings that can be incorporated rapidly into conservation and management regimens. It is my hope that the journal and its content will serve as a

rallying point for those interested in overcoming the aforementioned challenges and demonstrating the many benefits that can come from integrating physiological knowledge and tools into conservation science and resource management.

Looking to the future, there are a number of topical areas for which I would like to see more contributions. For example, invertebrates and plants remain poorly represented within the journal. In addition, there is an unfortunate lack of papers that discuss the success and failures of conservation physiology in terms of influencing policy or management. Of particular interest would be perspective articles that serve as case studies on different issues and what we could appropriately label as ‘Conservation Physiology in Action’, ideally written by policy makers and practitioners. Ecological models parameterized with physiological information (e.g. energy allocation, environmental thresholds) and used to predict responses of organisms to environmental change or to evaluate management scenarios are strongly encouraged. More studies that address some of the aforementioned challenges in terms of linking physiology to population-level processes through modelling (e.g. [Fefferman and Romero, 2013](#)) or experimental studies to establish cause and effect between stress and fitness (e.g. [Thierry et al., 2013](#)) would be particularly valuable. I also see the notion of exploiting the physiology of invasive species to inform control methods as being an area ripe for conservation physiology to provide many breakthroughs. The development of the interface of disease ecology, physiology, and conservation is also timely. I would also like to be able to highlight more multi-disciplinary approaches that combine physiology with genetics, behaviour, and veterinary science, among the many other aspects of conservation science, recognizing the inherent need for integration ([Balmford and Cowling, 2006](#)). The inaugural article (i.e. [Cooke et al., 2013](#)) provided a lengthy list of possible topics and that list still stands and essentially serves as the scope for the journal; please do check it out!

Ensuring broad knowledge mobilization and technology transfer between the producers of the knowledge and the receptor community (in this case, conservation practitioners) has always presented challenges to the conservation science community ([Cook et al., 2013](#)). The journal *Conservation Physiology* has adopted a strategic position such that it is online only and fully open access. For the SEB as well as many researchers active in conservation physiology research, the notion of open access was a rather new one. Indeed, the other SEB journals are subscription based, as are most journals in conservation science, experimental biology, and physiology. However, the open access model is fitting, because it means that all of the material published will be easily and freely accessible by conservation practitioners, stakeholders, and the general public around the world, including those in developing countries. A recent analysis revealed that in conservation science, there was no evidence to support that open access articles were cited more than those articles behind a pay wall ([Calver and Bradley, 2010](#)); however, in applied

realms, such as conservation, more important than citations is the ability of science to reach practitioners and influence policy and management. To establish a base of high-quality content to attract contributors, we are waiving publication fees entirely for the first 2 years (2013 and 2014) and inviting papers on pressing and topical issues from luminaries in conservation physiology. I hope you agree with me that the contents of the first volume represent diverse, high-quality content.

I am certainly thrilled with the state of the journal *Conservation Physiology* as we close the first volume and launch the second. Potential contributors (of individual articles or even special issues/theme sections) are welcome to contact me or other members of our talented and diverse editorial team. I must thank the authors, referees, editorial board, the plant editor (Dr Lawren Sack from UCLA), OUP, and SEB for unwavering support. The referees deserve particular recognition given that our average time to first editorial decision (for those papers that are sent to peer review) is <25 days. Indeed, in one instance I had three high-quality reviews in hand within 72 h of a paper being submitted. For me, the willingness of referees to provide thoughtful, constructive, and rapid reviews for a new journal is a testament to the excitement for the topic. *Conservation Physiology*—both the journal and the discipline—have an exciting future as we work collectively to generate the evidence base needed to understand and solve complex problems in conservation and resource management. I invite you to join us on this mission and welcome you to help to shape the journal and the discipline through contributing some of your best work to the journal *Conservation Physiology*.

References

- Balmford A, Cowling RM (2006) Fusion or failure? The future of conservation biology. *Conserv Biol* 20: 692–695.
- Brix KV, Grosell M (2013) Characterization of Na⁺ uptake in the endangered desert pupfish, *Cyprinodon macularius* (Baird and Girard). *Conserv Physiol* 1: doi:10.1093/conphys/cot005.
- Burgess EA, Brown JL, Lanyon JM (2013) Sex, scarring, and stress: understanding seasonal costs in a cryptic marine mammal. *Conserv Physiol* 1: doi:10.1093/conphys/cot014.
- Calver MC, Bradley JS (2010) Patterns of citations of open access and non-open access *Conservation Biology* journal papers and book chapters. *Conserv Biol* 24: 872–880.
- Carey C (2005) How physiological methods and concepts can be useful in conservation biology. *Integr Comp Biol* 45: 4–11.
- Cook CN, Mascia MB, Schwartz MW, Possingham HP, Fuller RA (2013) Achieving conservation science that bridges the knowledge–action boundary. *Conserv Biol* 27: 669–678.
- Cooke SJ, O'Connor CM (2010) Making conservation physiology relevant to policy makers and conservation practitioners. *Conserv Lett* 3: 159–166.

- Cooke SJ, Sack L, Franklin CE, Farrell AP, Beardall J, Wikelski M, Chown SL (2013) What is conservation physiology? Perspectives on an increasingly integrated and essential science. *Conserv Physiol* 1: doi:10.1093/conphys/cot001.
- Eliason EJ, Clark TD, Hinch SG, Farrell AP (2013) Cardiorespiratory collapse at high temperature in swimming adult sockeye salmon. *Conserv Physiol* 1: doi:10.1093/conphys/cot008.
- Ellenberg U, Mattern T, Seddon PJ (2013) Heart rate responses provide an objective evaluation of human disturbance stimuli in breeding birds. *Conserv Physiol* 1: doi:10.1093/conphys/cot013.
- Fefferman NH, Romero LM (2013) Can physiological stress alter population persistence? A model with conservation implications. *Conserv Physiol* 1: doi:10.1093/conphys/cot012.
- Freeman EW, Meyer JM, Putman SB, Schulte BA, Brown JL (2013) Ovarian cycle activity varies with respect to age and social status in free-ranging elephants in Addo Elephant National Park, South Africa. *Conserv Physiol* 1: doi:10.1093/conphys/cot025.
- Funk JL (2013) The physiology of invasive plants in low-resource environments. *Conserv Physiol* 1: doi:10.1093/conphys/cot026.
- Hay FR, Probert RJ (2013) Advances in seed conservation of wild plant species: a review of recent research. *Conserv Physiol* 1: doi:10.1093/conphys/cot030.
- Hunt KE, Moore MJ, Rolland RM, Kellar NM, Hall AJ, Kershaw J, Raverty SA, Davis CE, Yeates LC, Fauquier DA, *et al.* (2013) Overcoming the challenges of studying conservation physiology in large whales: a review of available methods. *Conserv Physiol* 1: doi:10.1093/conphys/cot006.
- Jordan LK, Mandelman JW, McComb DM, Fordham SV, Carlson JK, Werner TB (2013) Linking sensory biology and fisheries bycatch reduction in elasmobranch fishes: a review with new directions for research. *Conserv Physiol* 1: doi:10.1093/conphys/cot002.
- Lambers H, Ahmedi I, Berkowitz O, Dunne C, Finnegan PM, Hardy GE St J, Jost R, Laliberté E, Pearse SJ, Test FP (2013) Phosphorus nutrition of phosphorus-sensitive Australian native plants: threats to plant communities in a global biodiversity hotspot. *Conserv Physiol* 1: doi:10.1093/conphys/cot010.
- Milenkaya O, Weinstein N, Legge S, Walters JR (2013) Variation in body condition indices of crimson finches by sex, breeding stage, age, time of day, and year. *Conserv Physiol* 1: doi:10.1093/conphys/cot020.
- Narayan EJ (2013) Non-invasive reproductive and stress endocrinology in amphibian conservation physiology. *Conserv Physiol* 1: doi:10.1093/conphys/cot011.
- Rimbach R, Link A, Heistermann M, Gómez-Posada C, Galvis N, Heymann EW (2013) Effects of logging, hunting, and forest fragment size on physiological stress levels of two sympatric ateline primates in Colombia. *Conserv Physiol* 1: doi:10.1093/conphys/cot031.
- Robinson KA, Hinch SG, Gale MK, Clark TD, Wilson SM, Donaldson MR, Farrell AP, Cooke SJ, Patterson DA (2013) Effects of post-capture ventilation assistance and elevated water temperature on sockeye salmon in a simulated capture-and-release experiment. *Conserv Physiol* 1: doi:10.1093/conphys/cot015.
- Rohr JR, Raffel TR, Blaustein AR, Johnson PTJ, Paull SH, Young S (2013) Using physiology to understand climate-driven changes in disease and their implications for conservation. *Conserv Physiol* 1: doi:10.1093/conphys/cot022.
- Rummer JL, Stecyk JAW, Couturier CS, Watson SA, Nilsson GE, Munday PL (2013) Elevated CO₂ enhances aerobic scope of a coral reef fish. *Conserv Physiol* 1: doi:10.1093/conphys/cot023.
- Salafsky N, Margoluis R, Redford KH, Robinson JG (2002) Improving the practice of conservation: a conceptual framework and research agenda for conservation science. *Conserv Biol* 16: 1469–1479.
- Stacy NI, Innis CJ, Hernandez JA (2013) Development and evaluation of three mortality prediction indices for cold-stunned Kemp's ridley sea turtles (*Lepidochelys kempii*). *Conserv Physiol* 1: doi:10.1093/conphys/cot003.
- Thierry AM, Ropert-Coudert Y, Raclot T (2013) Elevated corticosterone levels decrease reproductive output of chick-rearing Adélie penguins but do not affect chick mass at fledging. *Conserv Physiol* 1: doi:10.1093/conphys/cot007.
- Timmins-Schiffman E, Nunn BL, Goodlett DR, Roberts SB (2013) Shotgun proteomics as a viable approach for biological discovery in the Pacific oyster. *Conserv Physiol* 1: doi:10.1093/conphys/cot009.
- Wikelski M, Cooke SJ (2006) Conservation physiology. *Trends Ecol Evol* 21: 38–46.