

Chapter 6

Ecological Restoration in Support of Sustainability Transitions: Repairing the Planet in the Anthropocene



Steven J. Cooke, Tina Heger, Stephen D. Murphy, Nancy Shackelford, Catherine M. Febria, Line Rochefort, and Eric S. Higgs

Abstract In the Anthropocene it is widely recognized that we need to embrace the concept of sustainable transitions. Strangely, ecological restoration is entirely decoupled from the concept of sustainability transitions. We argue that alongside radical changes in socio-technical systems that define sustainability transitions there will also be a need to conduct extensive ecological restoration. Indeed, that would in and of itself represent a major transition – normalizing ecological restoration where ecosystems that are degraded are restored. We are considering actions needed to have ecological restoration become a part of the radical change that defines sustainability transitions including: Learn and refine as we do restoration; Embrace bold and creative ideas; Adopt a design and systems-thinking approach; View restoration as a complement than a safety net; Work with nature; Create

S. J. Cooke (✉)

Institute of Environmental and Interdisciplinary Science and Department of Biology, Carleton University, Ottawa, ON, Canada
e-mail: Steven_Cooke@carleton.ca

T. Heger

Restoration Ecology, School of Life Sciences, Technical University Munich, Freising, Germany

Leibniz Institute of Freshwater Ecology and Inland Fisheries, Berlin, Germany

S. D. Murphy

School of Environment, Resources & Sustainability, University of Waterloo, Waterloo, Canada

N. Shackelford · E. S. Higgs

School of Environmental Studies, University of Victoria, Victoria, ON, Canada

C. M. Febria

Great Lakes Institute for Environmental Research & Department of Integrative Biology, University of Windsor, Windsor, ON, Canada

L. Rochefort

Centre for Northern Studies & Peatland Ecology Research Group, Université Laval, Quebec City, QC, Canada

opportunities for massive engagement; Bridge science and practice; Ensure that restoration is equitable and just; Insert restoration into social-technical systems; Invest in restoration and sustainability transitions. Sustainability transitions alone have the potential to limit further ecosystem degradation but will not repair the planet. Similarly, focusing solely on restoration is a losing battle without changing societal relationships with the environment. We conclude that restoration of ecosystems can be done in tandem with sustainability transitions to attain greater and prolonged benefit to achieve a good Anthropocene for the planet and its peoples.

Keywords Anthropocene · Practice · Restoration · Sustainability · Transitions

6.1 Introduction

People have dramatic effects on the planet (Vitousek et al. 1997; Dirzo et al. 2014). Forests have been cleared to make way for agriculture and urban centers. Wetlands have been filled to make way for parking lots and shopping malls. Water courses have been dammed to generate electricity. Air, land, and water have been polluted. Biodiversity has been lost. By all accounts the planet today is much different than it was even just a half century ago (Steffen et al. 2015). Indeed, the level of human impact on planet Earth is now to the extent that many scholars agree that we have entered a new Epoch distinct from the Holocene known as the Anthropocene (Crutzen 2006). Although there is debate as to when the Anthropocene began, the date of the Trinity nuclear detonation (i.e., July 16, 1945) is often acknowledged as the beginning (Lewis and Maslin 2015). We are at a point where not only is the planet in jeopardy but also humanity given our reliance on the environment for well-being, health, prosperity, and survival (Sandifer et al. 2015; Raworth 2017).

The term “Anthropocene” has an inherently negative connotation, yet some have also suggested that it is possible to achieve a “good Anthropocene” (Dalby 2016). Others have suggested that the term “Symbiocene” would better reflect an aspirational goal of thinking beyond the Anthropocene and achieving transformative change (Prescott and Logan 2017; see <https://symbioscene.com/>). The recognition that we currently are in the Anthropocene could (or should) be a rallying call for humanity to engage in activities that could yield meaningful change. Although there are efforts to identify and share opportunities for such change on a local scale (e.g., see Bennett et al. 2016) it is also clear that there is a need for major transitions in our quest for sustainability that are truly global (Truffer and Coenen 2012). Sustainability transitions are defined as “radical transformation towards a sustainable society, as a response to a number of persistent problems confronting contemporary modern societies” (Grin et al. 2010). Much effort has focused on thinking about what those transitions could or should involve – transitioning to green energy sources, renewing our relationship with nature, building a green economy, and rethinking food systems, to name a few. There are growing calls for fundamental transformation towards more sustainable modes of production and consumption

(Markard et al. 2012). Yet, the reality is that even if such transitions are entirely achieved, the planet has already been damaged. Great efforts will be needed to assist recovery of damaged and degraded ecosystems, restore biodiversity, and foster sustainable engagement with ecosystems (Suding et al. 2015).

To date, discussions of sustainability transitions have focused almost entirely on socio-technical systems e.g., transportation, water supply (Markard et al. 2012) and governance systems (Loorbach et al. 2017). A recent comprehensive research agenda for sustainability transitions failed to include any mention of ecological restoration (Köhler et al. 2019) while a systematic review of the literature related to sustainability transitions entirely ignores the restoration of ecosystems or landscapes (Sengers et al. 2019). Ecological and ecosystem restoration are largely decoupled from the concept of sustainability transitions - which is concerning. The fact that the United Nations has just launched the Decade on Ecosystem Restoration is a signal that ecological restoration is sorely needed (Cooke et al. 2019; Young and Schwartz 2019). We argue that alongside radical changes in socio-technical systems that define sustainability transitions there will also be a need to conduct extensive ecological and ecosystem restoration. As an example, a policy brief from Ramsar convention on wetlands calls for the restoration of 25 million ha of peatlands by 2030 and 50 million ha by 2050 towards the objective of constraining warming to 1.5 C to 2 °C (COV 2021). Indeed, that in and of itself would represent a major transition – normalizing ecological restoration where ecosystems that are degraded are restored. Restoration of ecosystems can be done in tandem with sustainability transitions to achieve greater and prolonged long-term benefit that is so much needed in the Anthropocene. Here we first provide a brief overview of the foundations of ecological restoration. Next, we consider actions needed to have ecological restoration become part of the radical change that defines sustainability transitions. We conclude with a candid discussion how ecological restoration can be done in tandem with sustainability transitions to enable humanity to achieve a good Anthropocene for the planet and its peoples.

6.2 A Primer on Ecological Restoration

The official (Society for Ecological Restoration) definition of ecological restoration (Society for Ecological Restoration 2004; Gann et al. 2019) is “the process of assisting the recovery of an ecosystem that has been degraded, damaged, or destroyed. It is distinct from restoration ecology, the science that supports the practice of ecological restoration.” Ideally, restoration practice should reflect ecological successes, but several guidelines have advocated an expanded view, including social dimensions, of what counts as restoration success (Parks Canada and the Canadian Parks Council 2008; Keenelyside et al. 2012; Suding et al. 2015). To explore the complementarity of ecological restoration - theory and practice - we often substitute ‘ecosystem’ for ‘ecological’, but that entails a narrower scope. While there have been debates about the specifics and nuances (Higgs 2003), especially in earlier iterations, the

definition has not changed much over the years. What has changed is the context and the challenges. Climate change was recognized early as a significant challenge to conventional models of restoration (Harris et al. 2006). Authors as varied as Hobbs et al. (2009), Higgs et al. (2014) and Balaguer et al. (2014) recognize that historical reference conditions and ranges of variation are valuable guideposts; many acknowledge that emerging novelty is becoming a significant factor shaping restoration (Hobbs et al. 2013; Heger et al. 2019). Increasing attention is given to the critical role people play in restoration, from recognizing and respecting Indigenous land stewardship to the benefits of social, cultural, and political support for long term success. People also benefit from the restoration of ecosystem services, including less tangible outcomes from the direct engagement that restoration practice provides.

There is still disagreement on the appropriate conceptual model for ecological restoration given the pace of global changes: one promising path is to consider the predictive paths and trajectories of restoration – essentially, looking forward rather than backward (see Brudvig and Catano 2017). To that end, Brudvig et al. (2017) had proposed looking at the role of origins of variability of system (from individuals to ecosystems) structure and function (Gellie et al. 2018), more specificity in goal setting, an emphasis on distributed experimentation (replication of experiments using common attributes across wide geographical and edaphic ranges), and better use of statistical models to better partition the origins and impacts of system variation. If one adds in the potential for using metrics like species pools and functional traits (e.g., Keddy and Laughlin 2021), and improved understanding of threshold and alternative stable states (Suding and Hobbs 2009) there are clear paths for innovation to address the challenges to ecological and ecosystem restoration.

There have been calls for more consistency and cooperation amongst restoration ecologists, so the impact of each local experiment is amplified, and knowledge is shared openly (Ladouceur et al. 2022). Fortunately, there also are efforts underway to do just this. However, these efforts have been slowed by the COVID-19 pandemic; and in addition, the institutional barriers should not be underestimated. For example, biases in granting agencies and metrics inherent to academia reward novelty over cooperative replication. Ironically, the eternal focus on innovation threatens to thwart exactly that.

Bolstered further with a commitment to ensuring that translation from science into practice is equitable and just (and funding mechanisms are available to support it), this is the proper approach – ecological restoration requires networks of restoration ecologists alongside practitioners and other knowledge holders focused on building approaches, datasets and analyses that collectively allow us to better understand and model ecological trajectories, set goals based on choosing which trajectories are desirable based on positive ecological effect size, work backwards to ensure proper steps are taken and tie into sovereignty, legal, governance, and policy frameworks. The last step may seem unpromising given the hostility of countries, political parties, and large numbers of lobby groups and citizens to the principles of good governance. Ecological restoration, however, given a heavy reliance of local actions by myriad practitioners, seems to be rather resilient as a domain to even the worst

political madness – at least, the development here has been ‘less bad’ than what has happened to pollution regulations, water governance, endangered species laws, and a general despair created by regulatory capture in too many nations. Still, the increased emphasis on the policy, laws, and governance and ecological restoration is not restricted to academics but is finding its way into actual practice (e.g., the ongoing efforts of coastal restoration in Louisiana, the 2021 Florida Wildlife Corridor Act, the efforts of the European Union to create a Nature Restoration Law). True transformative change (Díaz et al. 2019) via restoration will come from multi-actor, multi-scale collaborative actions, drawing on key leverage points specific to each context.

Overall, accelerating ecological restoration as a joint socio-ecological science and practice rooted in social justice is long overdue. With the recent dawn of the UN Decade on Ecosystem Restoration, it is clear there is momentum and evidence-based action on the trends identified above. The next phases of linking ecological restoration to intersectional issues of social and environmental justice is going to be even more difficult but ecological restoration never has been easy, or fast (Jones et al. 2018; Moreno-Mateos et al. 2017). As part of a wider sustainability transition, ecological and ecosystem restoration’s current research and action paths have much to offer.

6.3 Actions Needed for Ecological Restoration in the Anthropocene

Here we consider actions that are needed for ecological restoration to become part of the radical change that defines sustainability transitions. As outlined above, ecological restoration as a discipline and practice has evolved and matured over the last several decades. Yet, more advancements are needed to ensure that ecological restoration contributes to the radical change needed.

6.3.1 Learn and Refine as We Do Restoration

Ecological restoration is an evolving science and practice (Young et al. 2005). As such, there is need for continued learning about which restoration strategies are most effective. This will undoubtedly require refinements, particularly when it comes to applying restoration strategies in different contexts, e.g., ecosystems, regions, threat landscapes. Every restoration project represents a learning opportunity which is best realized through a rigorous monitoring program (Lindenmayer 2020) with relevant comparators such as reference sites and before-after data (i.e., BACI designs; Conner et al. 2016; Palmer et al. 2005). However, rigorous monitoring is unrealistic for every project (Bernhardt et al. 2005) so there is need for monitoring strategies that can be easily operationalized by restoration practitioners

(Cooke et al. 2019). There are a growing number of academic journals that recognize the importance of practitioner monitoring observations and other reflections on successes and failures. With restoration there is likely a file drawer effect where we celebrate and share (e.g., publish) the successes (Zedler 2007) when there is much to learn from the failures (Suding 2011). It is important to build a rich evidence base that will enable formal evidence synthesis including systematic review and meta-analysis (Cooke et al. 2018). Such efforts will ensure that the limited resources available for restoration are focused on restoration activities that are effective. Success is rarely cut and dry (Zedler 2007) which is opportune for using an adaptive (management) approach to restoration (Murray and Marmorek 2003; LoSchiavo et al. 2013). Structured decision-making approaches including quantitative expert judgment (e.g., Koch et al. 2015) can interface with adaptive management approaches to include values of different actors in the process (Failing et al. 2013).

6.3.2 Embrace Bold and Creative Ideas

Given the state of the planet there is need to be bold and creative when it comes to ecological restoration (Lodwick 2013). Being bold and creative comes in different forms and spans efforts to generate awareness and political will through to actual restoration activities (e.g., use of novel materials or approaches). One of the more creative initiatives over the last few decades has been the development and deployment of artificial floating wetlands to address water quality issues and enhance biodiversity (Shahid et al. 2018). Obtaining sufficient native seed supply is often a challenge in restoration yet there have been creative efforts to engage Indigenous and local communities in boosting seed supply (Urzedo et al. 2022). 3-D printing has recently been used for coral restoration projects although uncertainties remain regarding long term benefits (Albalawi et al. 2021). When attempting new approaches, appropriate monitoring needs to be conducted to assess effectiveness but in some cases risk assessment may be needed a priori e.g., genetic technologies, (Sandler 2020) and assisted migration (Mueller and Hellmann 2008). Being bold and creative should not be equated with being reckless or engaging at a large intractable scale with uncertain impacts.

6.3.3 Adopt a Design and Systems-Thinking Approach

Ecological systems are inherently complex, inextricably linked by species and functional attributes that re-enforce healthy, sustaining mechanisms. Despite many large-scale restoration strategies underway globally, they are likely insufficient (Moreno-Mateos et al. 2017, 2020) and degraded ecosystems have acquired properties that make them resilient to restoration (Barrett et al. 2021). Emerging novelty across scales (Heger et al. 2019) can disrupt conventional restoration practice and

compel alternative approaches to restoration of biodiversity and ecosystem services. There are new opportunities emerging at the intersection of restoration, ecological novelty, and design (Higgs 2017). What if we took a systems-thinking and design approach to restoration? What might happen if we approached restoration as a strategic enterprise, integrating behavioral and ecological science, policy and practice into a solution that accelerated testing, optimizing and implementation? Would the restoration plan and resultant outcomes be the same? There is no one way that ecological restoration will achieve success but the strategic engagement of key leverage points to accelerate and ensure transformation (Díaz et al. 2019). Elsewhere on the planet, great strides have been made in the past decade to develop, optimize, and launch business products such as software applications (apps) however such innovation can be applied to many other efforts including restoration. The Google Venture Sprint framework (Knapp et al. 2016) has quickly become a popular framework for business enterprises, and likewise offered a pathway for watershed-scale restoration in Aotearoa New Zealand. Living Water, a ten-year, multi-million-dollar industry-government partnership in Aotearoa New Zealand, the first and one of the largest of its kind, made it its mission to undertake freshwater restoration in agricultural landscapes across five focal catchments in the country. Fonterra, New Zealand's largest company and the federal Department of Conservation embarked on a shared journey to address freshwater restoration. In one focal watershed - the Ararira L2 river catchment in lowland Canterbury - the many complex challenges typical of agricultural landscapes (channelized drains, intensified agricultural practices, diminished water quality) were also met with legal and cultural obligations and constraints. Notably, contemporary stream and river networks are man-made or channelized, and offer critical infrastructure and flood mitigation roles while also supporting biodiversity and key recreational, cultural and water purification ecosystem services. In 2017, Living Water adapted the Google Sprint framework into a five-day workshop where experts and knowledge holders came together to systematically address the challenges for the watershed, design a 'prototype' solution which was then 'tested' by key decision-makers who would be essential to seeing the program through (Fig. 6.1). The resultant outcome was a series of undertakings that included partnering with freshwater restoration ecologists undertaking research in the region (Febria et al. 2020), supporting the creation of new roles in local government focused on biodiversity, highly-visible roadside demonstrations, and the formation of Te Mana Ararira, a Māori-centered advisory group for the catchment (<https://www.livingwater.net.nz/catchment/ararira-lii-river/>) (Fig. 6.1).

6.3.4 View Restoration as a Complement Rather Than a Safety Net

Restoration is about repairing damage that has been done (Hobbs and Harris 2001). Yet, restoration is imperfect (Cooke et al. 2019), often implemented ineffectively as mitigation (Palmer and Hondula 2014). It has mixed success (Jones et al. 2018;




Fig. 6.1 A design approach to freshwater restoration with Living Water in Aotearoa, New Zealand. Living Water is a funded partnership between the Federal Department of Conservation and Fonterra, the nation's largest corporation and agricultural enterprise. In one catchment Ararira/L2, a strategic solutions design process was undertaken to determine a multi-prong catchment-wide restoration approach (top) that included societal, cultural, and governmental aspects alongside empirical research efforts (bottom). (Photo: Living Water)

Moreno-Mateos et al. 2017, 2020) and should never be used as an excuse for intentionally degrading ecosystems. Protecting ecosystems and working to ensure that threats are mitigated to the extent possible should be prioritized over accepting that environmental harms will occur and that through restoration the damage can be repaired. Moreover, preservation is almost always much less expensive than restoration (Cairns Jr 1993). When doing restoration work the first step is often to preserve the current ecosystem structure and function assuming that some elements will be desirable with restoration building upon that (Broadbent et al. 2015). That assumes that the current system is not a highly resilient degraded ecosystem for which preserving those elements can be problematic. Preservation of degraded systems so that no further degradation occurs without engaging in restoration is wholly insufficient (Colston 2003). Similarly, engaging in restoration without addressing the underlying threats is unlikely to achieve desirable outcomes (Allan et al. 2013). Restoration needs to be used as a complement to other activities such as preservation rather than viewed as a safety net to fix problems that could have been prevented.

6.3.5 Work with Nature

The concept of nature-based solutions is sometimes considered when thinking about sustainability transitions (Cohen-Shacham et al. 2016; Davies and Laforzezza 2019), particularly when rethinking urban design and infrastructure (e.g., stormwater; Wendling and Holt 2020). Nature-based solutions are also being embraced as approaches to inform and enhance ecological restoration. For example, nature-based solutions are being used in lake (Dondajewska et al. 2018) and peatland (Bonn et al. 2016) restoration. There is opportunity to learn from and emulate natural structure and functions rather than trying to engineer systems and constraining them using artificial materials (e.g., concrete) or approaches that do not lead to long term success (Chapman 2006). As we embrace nature-based solutions as part of sustainability transitions there are parallel opportunities to make meaningful advances in restoration.

6.3.6 Create Opportunities for Massive Engagement

Ecological restoration is an important form of environmental stewardship that can be conducted by anyone – including federal governments, corporations, community groups, and private individual – and anywhere – from national parks to empty lots or backyards. Thus, it is one of the most accessible, actionable methods of creating environmental change. Not everyone can reform energy policy, or build green transportation infrastructure, but nearly anyone can pull invasive species in their local park and seed native flowers in their garden. Sustainability transitions require altered individual behaviors (Schäpke and Rauschmayer 2014), often driven by

feelings of altruism or environmental responsibility that are created through acts of stewardship (Krasny and Delia 2015). Emphasizing and leveraging the accessibility of restoration, and the resulting feelings of reconnection and embeddedness in the landscape (Bramston et al. 2011), will be pivotal to achieving a successful sustainability transition. In addition, including the community can be essential to successful restoration. It is increasingly clear that restoration is not a “one and done” activity, and that continued interventions are needed, sometimes in perpetuity (Hobbs and Harris 2001). Engaged communities are often the determining support for continuous management practices. Oak-meadows are some of the most threatened and degraded ecosystems in Canada (Fuchs 2001), and their restoration often takes the form of weekly or even daily volunteer efforts from local community members (Shackelford et al. 2019). These sites are an example of ecological communities that evolved with, and depend on, Indigenous management practices (Pellatt and Gedalof 2014). They are proof that continuous human stewardship is the historical and ecological norm for many threatened landscapes. In parallel with rising global recognition of Indigenous sovereignty (United Nations General Assembly 2007), community-engagement and leadership are becoming an increasing priority in many restoration contexts. Inclusive opportunities for community-driven restoration also support innovation and shared learning in a diverse field. Volunteer and user observations in restoration sites can lead to shifts in project decisions under an adaptive, experimental management framework (Bliss et al. 2001). Citizen science tools like iNaturalist can act as long-term monitoring methods (Callaghan et al. 2020) and educational outreach strategies. In addition, emerging tools such as Google’s Restor (<https://restor.eco/>) are increasing the public availability of restoration-focused information such as appropriate native trees and local ecosystem types. Continued innovations in how restoration science collects and disseminates knowledge within communities will enhance the global pace of advancement and overall reach of restoration practice.

6.3.7 Bridge Science and Practice

Our current age is not only one of crises, it is at the same time also one of remarkable progress. Technological advances include artificial intelligence, machine learning and the development of smart infrastructure. It is high time that these advancements are being leveraged to counter the biodiversity and climate crises. Restoration ecology could (and should) become a ‘sand box’ for developing tools that allow quick discovery of existing knowledge. Novel tools developed in computer and library sciences could be adapted to provide links between ecological theory, restoration ecology and the practice of ecological restoration (Heger, unpublished manuscript). The benefits of developing tools for efficient knowledge discovery would be manifold. Most importantly, the knowledge created by practitioners and scientists alike could be leveraged efficiently to assure constant improvement of restoration techniques. Currently, information on the outcome of restoration

projects and scientific research is very likely to get lost - even if it is published in some scientific journal, it will probably drown in the ocean of information, becoming harder to find over time amongst the ever-increasing number of published papers (Jeschke et al. 2019). Novel knowledge discovery tools are being developed that help finding relevant information more efficiently (e.g., Open Knowledge Maps, Connected Papers), and semantic web applications allow summarizing available information on demand (e.g., Scholia). If such tools were adapted and implemented for restoration ecology, practitioners could use them to quickly find information on best practices and underlying theoretical findings, and scientists could easily link their research to practical challenges. What is needed to achieve these aims is a teaming up of the restoration ecology community with computer and library scientists, experts in semantic web techniques and data management.

6.3.8 Ensure that Restoration is Equitable and Just

Sustainability transitions are not just about biodiversity - they are also about people, societies and cultures and enhancing human wellbeing (Rauschmayer and Omann 2014), and this is the central theme of the Sustainable Development Goals (UNEP). In the context of restoration, and a long history of environmental degradation in impoverished communities, it is therefore essential that restoration is equitable and just. The concept of equity in restoration is reasonably new yet has inherent relevance given that restoration is value laden (Kimmerer 2011) and because the degradative processes that necessitate restoration are often driven by societal inequities (Schell et al. 2020). Often individuals who (could) engage in restoration may not have access to sites where restoration is needed (see Wells et al. 2021). Women, youth, individuals with disabilities, racialized minorities, and rights holders (i.e., Indigenous peoples) are often excluded from engaging in restoration as well as reaping the benefits of restoration (Wells et al. 2021), despite growing evidence that restoration that centers, amplifies and maximizes local and Indigenous communities and knowledge systems are essential to achieving restoration (Suding et al. 2015; Ban et al. 2018; Rayne et al. 2020). Recently Osborne et al. (2021) presented several principles for achieving long-lasting, resilient, and equitable ecological restoration. For example, by privileging local knowledge and practices through actions such as strengthening community organizations and empowering such groups to engage in decision making (Armitage 2002). By ensuring the participation of most impacted groups there is opportunity to consider the complex trade-offs and synergies that can arise during restoration planning and implementation (Ferwerda and Gutierrez 2021). Equity can also be addressed by explicitly considering who benefits from restoration or bears the cost of restoration interventions (Chaudhary et al. 2018) while ensuring that restoration initiatives do not violate human rights (including Indigenous rights) or contribute to social or environmental injustice (Adams and Hutton 2007). Using relevant social indicators when assessing restoration can ensure that well-being is considered (Alba-Patino et al. 2021). For example,

prioritizing Indigenous treaty rights and cultural practices may be essential to legitimizing and accelerating ecological restoration (Wehi and Lord 2017) and through reparation of social and ecological connections, restoration can be one form of reconciliation with Indigenous communities and lands (Kimmerer 2011). Collectively these actions will ensure that restoration benefits all people and encourages stewardship.

6.3.9 Insert Restoration into Social-Technical Systems

Social-technical systems such as transportation, energy, and urban design are essential for humans yet many of these systems have been implicated in environmental degradation. Moving forward there are opportunities to consider how restoration can interface with these systems. Better designs for future developments are certainly important (e.g., rethinking road networks; Dolan et al. 2006; redesigning airports to include more native vegetation; Yue and Shi 2017) but much of this infrastructure already exists. During infrastructure renewal there may be opportunities to incorporate restoration principles and achieve environmental gains (i.e., renewal ecology; Bowman et al. 2017). For example, as dam infrastructure associated with hydropower is being renewed there are opportunities to incorporate technologies such as fish passage structures that restore connectivity (Neeson et al. 2018). In some cases, such as hydropower dams, operational changes can be made without directly modifying infrastructure, thus restoring environmental flows (Richter and Thomas 2007). In urban centers much effort has been focused on restoring water infiltration so water recharges groundwater rather than running off and creating stormwater management challenges (Li et al. 2017). Regulatory levers or incentives could be useful for ensuring that restoration principles are incorporated into infrastructure renewal projects although changes in governance or economic systems (e.g., a circular economy) that enable restoration also exhibits considerable potential (Priyadarshini and Abhilash 2020).

6.3.10 Invest in Restoration and Sustainability Transitions

Restoration and sustainability transitions both require significant financial investments for them to deliver on their promise. Restoration is chronically underfunded but also has itself been identified as the potential to be a major economic driver through conservation, restoration, and mitigation action conducted under the auspices of the “Restoration Economy” (BenDor et al. 2015). There are efforts underway to explore models such as taxation (Hochard 2022) and incentives (Canning et al. 2021) to fund or enable the massive level of restoration activity that is needed (De Groot et al. 2013). Similarly, sustainability transitions will be economically costly in the short term but will yield long term payoffs (Naidoo 2020). It is for that

reason that corporations are willing to invest in sustainability transitions (Hernández-Chea et al. 2021). What is clear is that there is mutual benefit with investing in both restoration and sustainability transitions given inherent overlap in goals and rewards. Failure to adequately support such activities will constrain the ecosystem services that can be derived from intact, functional ecosystems that generate manifold benefits for humans (Palmer and Filoso 2009; Fischer et al. 2021).

6.4 Conclusion: Thinking about Ecological Restoration and Sustainability Transitions

Above we considered actions needed to have ecological restoration become part of the radical change that defines sustainability transitions. Ecological restoration is imperfect and there are challenges that exist for ensuring that restoration is effective and equitable (Suding et al. 2015). As we enter the UN Decade on Ecosystem Restoration it is an opportune time to further the science and practice of restoration (Cooke et al. 2019). Ecological and ecosystem restoration is itself not a sustainability transformation - or at least, it has not been viewed that way by scholars focused on socio-technical based transitions. Yet, imagine what would be possible if ecological restoration was normalized and was itself considered a radical transition focused on repairing our planet. Imagine if governments, institutions, and individuals committed to funding and doing restoration. Many of the transitions being proposed have the potential to improve the ways in which we impact the environment, but it is unlikely that those transitions, no matter how radical, will magically restore the damage that has already occurred to ecosystems across the planet. Similarly, restoration alone will be insufficient if we do not engage in the transitions needed for a sustainable future. We may see short term or localized successes but if we continue to build infrastructure, extract resources, and commoditize nature as we have for the last few centuries, restoration is nothing but a band aid on a hemorrhaging wound. In that sense ecological restoration and sustainability transitions are inherently linked. One without the other is not as great as when they are considered together (Fig. 6.2).

To achieve a good Anthropocene will require the collective efforts of many. Existing frameworks for restoration (e.g., Hobbs and Norton 1996; Copeland et al. 2021) could easily intersect with frameworks for sustainability transitions (e.g., Rogge and Reichardt 2016; Kanger et al. 2020). There are opportunities for the UN Decade on Ecosystem Restoration to help enable the practical bridging of ecological restoration and sustainability transitions. In many ways, ecological restoration could be viewed as a foundation upon which transitions can further amplify and sustain conservation gains. If we do not transform how we move goods and people, grow food, generate electricity, harvest raw materials, and so on, restoration efforts will be ineffective in the long term. The level of investment that would be needed to continually try to mitigate ongoing damage would be astronomical and that does not




Fig. 6.2 Ecosystem state over time relative to different interventions. Historically the ecosystem state was more “natural/pristine” but due to human activities there has been extensive ecosystem degradation. Failure to intervene (i.e., the status quo as indicated by grey long-dashed line) would likely result in continued degradation. If we can enact sustainability transitions there would be rapid changes in human activities and impacts which would presumably halt further degradation and perhaps enable slow recovery (i.e., the sust trans alone as indicated by grey dot-dash-dot line). If sustainability transitions were not to occur but much effort was devoted to restoration (i.e., the restoration alone as indicated by grey dotted line) then there would be some level of recovery towards a more pristine state, but conditions would be such that pressures would continue so it would be unlikely to be fully successful, particularly in the long run. If restoration and sustainability transitions were both to occur one might anticipate the most improvement in ecosystem state given that the transition would reduce pressures such that the restoration would be more effective and more likely to lead to long-term benefit (i.e., restoration + sustainability transition as indicated by solid grey line)

account for the fact that the starting point today is one in which we have already degraded ecosystems and lost biodiversity. If there were to be a future with only a sustainability transition, then there is a strong likelihood that we would halt further degradation but would not be able to repair ecosystem damage to the extent that would be possible if done in tandem with ecological restoration.

Acknowledgments Several coauthors are supported by the Natural Science and Engineering Research Council of Canada and a Knowledge Synthesis Grant from the Social Sciences and Humanities Research Council of Canada. TH is supported by DFG - German Research Foundation (project number HE 5893/8-1). We are grateful to the Indigenous peoples who are the stewards of the lands and waters where we work, study and live.

References

Adams WM, Hutton J (2007) People, Parks and Poverty: Political Ecology and Biodiversity Conservation. *Conserv Soc* 5:147–183

- Albalawi HI, Khan ZN, Valle-Pérez AU et al (2021) Sustainable and eco-friendly coral restoration through 3D printing and fabrication. *ACS Sust Chem Eng* 9:12634–12645. <https://doi.org/10.1021/acssuschemeng.1c04148>
- Alba-Patino D, Carabassa V, Castro H, Gutiérrez-Briceno I, Garcia-Llorente M, Gianocavo C, Gomez-Tenorio M, Cabell J, Azner-Sánchez JA, Castro AJ (2021) Social indicators of ecosystem restoration for enhancing human wellbeing. *Resour Conserv Recycl* 174:105782. <https://doi.org/10.1016/j.resconrec.2021.105782>
- Allan JD, McIntyre PB, Smith SDP, Halpern BS, Boyer GL, Buchsbaum A, Burton GA Jr, Campbell LM, Chadderton L, Ciborowski JH, Doran PJ, Eder T, Infante DM, Johnson LB, Joseph CA, Marino AL, Prusevich A, Read JG, Rose JB, Rutherford ES, Sowa SP, Steinman AD (2013) Joint analysis of stressors and ecosystem services to enhance restoration effectiveness. *Proc Natl Acad Sci U S A* 110:372–377. <https://doi.org/10.1073/pnas.1213841110>
- Armitage D (2002) Socio-institutional dynamics and the political ecology of mangrove forest conservation in Central Sulawesi, Indonesia. *Glob Environ Chang* 12:203–217
- Balaguer L, Escudero A, Martín-Duque JF, Mola I, Aronson J (2014) The historical reference in restoration ecology: re-defining a cornerstone concept. *Biol Conserv* 176:12–20. <https://doi.org/10.1016/j.biocon.2014.05.007>
- Ban NC, Frid A, Reid M, Edgar B, Shaw D, Siwallace P (2018) Incorporate Indigenous perspectives for impactful research and effective management. *Nat Ecol Evol* 2:1680–1683. <https://doi.org/10.1038/s41559-018-0706-0>
- Barrett IC, McIntosh AR, Febria CM, Warburton HJ (2021) Negative resistance and resilience: biotic mechanisms underpin delayed biological recovery in stream restoration. *Proc Royal Soc B* 288:20210354. <https://doi.org/10.1098/rspb.2021.0354>
- BenDor TK, Livengood A, Lester TW, Davis A, Yonavjak L (2015) Defining and evaluating the ecological restoration economy. *Restor Ecol* 23:209–219. <https://doi.org/10.1111/rec.12206>
- Bennett EM, Solan M, Biggs R, McPhearson T, Norström AV, Olsson P, Pereira L, Peterson GD, Raudsepp-Hearne C, Biermann F, Carpenter SR, Ellis EC, Hichert T, Galaz V, Lahsen M, Milkoreit M, Lopez BM, Nicholas KA, Preiser R, Vince G, Vervoort JM, Xu J (2016) Bright spots: seeds of a good Anthropocene. *Front Ecol Environ* 14(8):441–448. <https://doi.org/10.1002/fee.1309>
- Bernhardt ES, Palmer MA, Allan JD, Alexander G, Barnas K, Books S, Carr J, Clayton S, Dahm C, Follstad-Shah J, Galat D, Gloss S, Goodwin P, Hart D, Hassett B, Jenkinson R, Katz S, Kondolf GM, Lake PS, Lave R, Meyer JL, O'Donnell TK, Pagano L, Powell B, Sudduth E (2005) Synthesizing US river restoration efforts. *Science* 308:636–637. <https://doi.org/10.1126/science.1109769>
- Bliss J, Aplet G, Hartzell C, Harwood P, Jahnige P, Kittredge D, Lewandowski S, Socia ML (2001) Community-based ecosystem monitoring. *J Sustain For* 12(3–4):143–167. https://doi.org/10.1300/J091v12n03_07
- Bonn A, Allott T, Evans M et al (2016) Peatland restoration and ecosystem services: nature-based solutions for societal goals. In: Bonn A, Allott T, Evans M, Joosten H, Stoneman R (eds) *Peatland Restoration and Ecosystem Services: Science, Policy and Practice*. Cambridge University Press, Cambridge, pp 402–417
- Bowman DM, Garnett ST, Barlow S, Bekessy SA, Bellairs SM, Bishop MJ, Bradstock RA, Jones DN, Maxwell SL, Pittock J, Toral-Granda MV, Watson JEM, Wilson T, Zander KK, Hughes L (2017) Renewal ecology: conservation for the Anthropocene. *Restor Ecol* 25:674–680. <https://doi.org/10.1111/rec.12560>
- Bramston P, Pretty G, Zammit C (2011) Assessing environmental stewardship motivation. *Environ Behav* 43(6):776–788. <https://doi.org/10.1177/0013916510382875>
- Broadbent CD, Brookshire DS, Goodrich D, Dixon MD, Brand LA, Thacher J, Steward S (2015) Valuing preservation and restoration alternatives for ecosystem services in the southwestern USA. *Ecohydrology* 8:851–862. <https://doi.org/10.1002/eco.1628>
- Brudvig LA, Catano CP (2017) Prediction and uncertainty in restoration science. *Restor Ecol* 2021:e13380. <https://doi.org/10.1111/rec.13380>

- Brudvig LA, Barak RS, Bauer JT, Caughlin TT, Laughlin DC, Larios L, Matthews JW, Stuble KL, Turley NE, Zirbel CR (2017) Interpreting variation to advance predictive restoration science. *J Appl Ecol* 54(4):1018–1027. <https://doi.org/10.1111/1365-2664.12938>
- Cairns J Jr (1993) Is restoration ecology practical? *Restor Ecol* 1:3–7. <https://doi.org/10.1111/j.1526-100X.1993.tb00003.x>
- Callaghan CT, Ozeroff I, Hitchcock C, Chandler M (2020) Capitalizing on opportunistic citizen science data to monitor urban biodiversity: a multi-taxa framework. *Biol Conserv* 251:108753. <https://doi.org/10.1016/j.biocon.2020.108753>
- Canning AD, Jarvis D, Costanza R, Hasan S, Smart JCR, Finisdore J, Lovelock CE, Greenhalgh S, Marr HM, Beck MW, Gilles CL, Waltham NJ (2021) Financial incentives for large-scale wetland restoration: beyond markets to common asset trusts. *One Earth* 4:937–950. <https://doi.org/10.1016/j.oneear.2021.06.006>
- Chapman RL (2006) Ecological restoration restored. *Environ Values* 15(4):463–478. <https://doi.org/10.3197/096327106779116096>
- Chaudhary S, McGregor A, Houston D, Chettri N (2018) Environmental justice and ecosystem services: a disaggregated analysis of community access to forest benefits in Nepal. *Ecosyst Serv* 29:99–115. <https://doi.org/10.1016/j.ecoser.2017.10.020>
- Cohen-Shacham E, Walters G, Janzen C, Maginnis S (2016) Nature-based solutions to address global societal challenges. IUCN, Gland, Switzerland
- Colston A (2003) Beyond preservation: the challenge of ecological restoration. In: Adams W, Mulligan M (eds) *Decolonizing Nature: Strategies for Conservation in a Post-Colonial Era*. Routledge, London, pp 247–267
- Conner MM, Saunders WC, Bouwes N, Jordan C (2016) Evaluating impacts using a BACI design, ratios, and a Bayesian approach with a focus on restoration. *Environ Monit Assess* 188:555. <https://doi.org/10.1007/s10661-016-5526-6>
- Cooke SJ, Rous AM, Donaldson LA, Taylor JJ, Rytwinski T, Prio KA, Smokorowski KE, Bennett JR (2018) Evidence-based restoration in the Anthropocene—from acting with purpose to acting for impact. *Restor Ecol* 26:201–205. <https://doi.org/10.1111/rec.12675>
- Cooke SJ, Bennett JR, Jones HP (2019) We have a long way to go if we want to realize the promise of the “Decade on Ecosystem Restoration”. *Conserv Sci Pract* 1:e129. <https://doi.org/10.1111/csp2.129>
- Copeland SM, Baughman OW, Boyd CS, Davies KW, Kerby J, Kildisheva OA, Svejcar T (2021) Improving restoration success through a precision restoration framework. *Restor Ecol* 29:e13348. <https://doi.org/10.1111/rec.13348>
- Crutzen PJ (2006) The “Anthropocene”. In: Ehlers E, Krafft T (eds) *Earth System Science in the Anthropocene*. Springer, Berlin, pp 13–18. https://doi.org/10.1007/3-540-26590-2_3
- Dalby S (2016) Framing the Anthropocene: The good, the bad and the ugly. *Anthr Rev* 3:33–51. <https://doi.org/10.1177/2053019615618681>
- Davies C, Laforteza R (2019) Transitional path to the adoption of nature-based solutions. *Land Use Policy* 80:406–409. <https://doi.org/10.1016/j.landusepol.2018.09.020>
- De Groot RS, Blignaut J, Van Der Ploeg S, Aronson J, Elmqvist T, Farley J (2013) Benefits of investing in ecosystem restoration. *Conserv Biol* 27:1286–1293. <https://doi.org/10.1111/cobi.12158>
- Díaz S, Settele J, Brondízio ES, Ngo HT, Agard J, Arneth A, Balvanera P, Brauman KA, Butchart SHM, Chan KMA, Garibaldi LA, Ichii K, Liu J, Subramanian SM, Midgley GF, Miloslavich P, Molnar Z, Obura D, Pfaff A, Ploosky S, Purvis A, Razzaque J, Reyers B, Roy Chowdhury R, Shin YJ, Visseren-Hamakers I, Willes KJ, Zayas CN (2019) Pervasive human-driven decline of life on Earth points to the need for transformative change. *Science* 366:eaax3100. <https://doi.org/10.1126/science.aax3100>
- Dirzo R, Young HS, Galetti M, Ceballos G, Isaac NJB, Collen B (2014) Defaunation in the Anthropocene. *Science* 345:401–406. <https://doi.org/10.1126/science.1251817>

- Dolan LM, van Boheman H, Whelan P et al (2006) Towards the sustainable development of modern road ecosystems. In: Davenport J, Davenport JL (eds) *The Ecology of Transportation: Managing Mobility for the Environment*. Springer, Dordrecht, The Netherlands, pp 255–274
- Dondajewska R, Kozak A, Budzyńska A, Kowalczevska-Madura K, Goldyn R (2018) Nature-based solutions for protection and restoration of degraded Bielsko Lake. *Ecohydrol Hydrobiol* 18:401–411. <https://doi.org/10.1016/j.ecohyd.2018.04.001>
- Failing L, Gregory R, Higgins P (2013) Science, uncertainty, and values in ecological restoration: a case study in structured decision-making and adaptive management. *Restor Ecol* 21:422–430. <https://doi.org/10.1111/j.1526-100X.2012.00919.x>
- Fischer J, Riechers M, Loos J, Martin-Lodez B, Temperton VM (2021) Making the UN Decade on Ecosystem Restoration a Social-ecological Endeavour. *Trends Ecol Evol* 36:20–28. <https://doi.org/10.1016/j.tree.2020.08.018>
- Fuchs MA (2001) Towards a recovery strategy for Garry oak and associated ecosystems in Canada: ecological assessment and literature review. Environment Canada, Pacific and Yukon Region, Victoria, BC, Canada
- Gann GD, McDonald T, Walder B, Aronson J, Nelson CR, Jonson J, Hallett JG, Eisenberg C, Guariguata MR, Liu J, Hua F, Echeverria C, Gonzales E, Shaw N, Decler K, Dixon KW (2019) International principles and standards for the practice of ecological restoration. *Restor Ecol* 27(S1):S1–S46. <https://doi.org/10.1111/rec.13035>
- Gellie NJ, Breed MF, Mortimer PE, Harrison RD, Xu J, Lowe AJ (2018) Networked and embedded scientific experiments will improve restoration outcomes. *Front Ecol Environ* 16:288–294. <https://doi.org/10.1002/fee.1810>
- Grin J, Rotmans J, Schot J (2010) *Transitions to sustainable development: new directions in the study of long-term transformative change*. Routledge, NY, USA
- Harris JA, Hobbs RJ, Higgs E, Aronson J (2006) Ecological restoration and global climate change. *Restor Ecol* 14:170–176. <https://doi.org/10.1111/j.1526-100X.2006.00136.x>
- Heger T, Bernard-Verdier M, Gessler A, Greenwood AD, Grossart HP, Hilker M, Keinath S, Kowarik I, Kueffer C, Marquard E, Müller J, Niemeyer S, Onandia G, Petermann JS, Rillig MC, Rödel MO, Saul WC, Schittko C, Tockner K, Joshi J, Jeschke JM (2019) Towards an integrative, eco-evolutionary understanding of ecological novelty: studying and communicating interlinked effects of global change. *Bioscience* 69(11):888–899. <https://doi.org/10.1093/biosci/biz095>
- Hernández-Chea R, Jain A, Bocken NM, Gurtoo A (2021) The business model in sustainability transitions: a conceptualization. *Sustainability* 13:5763. <https://doi.org/10.3390/su13115763>
- Higgs E (2003) *Nature by design: people, natural process, and ecological restoration*. MIT Press, Cambridge Mass, USA
- Higgs E (2017) Novel and designed ecosystems. *Restor Ecol* 25(1):8–13. <https://doi.org/10.1111/rec.12410>
- Higgs E, Falk DA, Guerrini A, Hall M, Harris J, Hobbs RJ, Jackson ST, Rhemtulla JM, Throop W (2014) The changing role of history in restoration ecology. *Front Ecol Environ* 12:499–506. <https://doi.org/10.1890/110267>
- Hobbs RJ, Harris JA (2001) Restoration ecology: repairing the earth's ecosystems in the new millennium. *Restor Ecol* 9:239–246. <https://doi.org/10.1046/j.1526-100x.2001.009002239.x>
- Hobbs RJ, Norton DA (1996) Towards a conceptual framework for restoration ecology. *Restor Ecol* 4(2):93–110. <https://doi.org/10.1111/j.1526-100X.1996.tb00112.x>
- Hobbs RJ, Higgs E, Harris JA (2009) Novel ecosystems: implications for conservation and restoration. *Trends Ecol Evol* 24(11):599–605. <https://doi.org/10.1016/j.tree.2009.05.012>
- Hobbs RJ, Higgs ES, Hall C (2013) *Novel ecosystems: intervening in the new ecological world order*. John Wiley & Sons, New York, USA
- Hochard J (2022) Investing wisely in land restoration. *Nature Sustainability* 5:3–4
- Jeschke JM, Lokatis S, Bartram I, Tockner K (2019) Knowledge in the dark: scientific challenges and ways forward. *Facets* 4:423–441. <https://doi.org/10.1139/facets-2019-0007>

- Jones HP, Jones PC, Barbier EB, Blackburn RC, Benayas JMR, Holl KD, McCrackin M, Meli P, Montoya D, Moreno Mateos D (2018) Restoration and repair of Earth's damaged ecosystems. *Proc Royal Soc B* 285:20172577. <https://doi.org/10.1098/rspb.2017.2577>
- Kanger L, Sovacool BK, Noorköiv M (2020) Six policy intervention points for sustainability transitions: a conceptual framework and a systematic literature review. *Res Policy* 49:104072
- Keddy PA, Laughlin DC (2021) *A framework for community ecology: species pools, filters and traits*. Cambridge University Press, Cambridge, UK
- Keenleyside K, Dudley N, Cairns S, et al (2012) *Ecological restoration for protected areas: principles, guidelines and best practices*. IUCN, Switzerland. <https://www.iucn.org/resources/publication/ecological-restoration-protected-areas-principles-guidelines-and-best> Accessed 10 June 2020
- Kimmerer R (2011) Restoration and reciprocity: the contributions of traditional ecological knowledge. In: Egan D, Hjerpe EE, Abrams J (eds) *Human dimensions of ecological restoration*. Island Press, Washington, DC, pp 257–276
- Knapp J, Zeratsky J, Kowitz B (2016) *Sprint: how to solve big problems and test new ideas in just five days*. Simon and Schuster, New York, USA
- Koch BJ, Febria CM, Cooke RM, Hosen JD, Baker ME, Colson AR, Filoso S, Hayhoe K, Loperfido JV, Stoner AMK, Palmer MA (2015) Suburban watershed nitrogen retention: estimating the effectiveness of stormwater management. *Elementa: Science of the Anthropocene* 3:000063. [10.12952/journal.elementa.000063](https://doi.org/10.12952/journal.elementa.000063)
- Köhler J, Geels FW, Kern F, Markard J, Onsongo E, Wiczorek A, Alkemade F, Avelino F, Bergek A, Boons F, Fünfschilling L, Hess D, Holtz G, Hyysalo S, Jenlins K, Kivimaa P, Martiskainen M, McMeekin A, Mühlemeier MS, Nykvist B, Pel B, Raven R, Rphracher H, Sanden B, Schot J, Sovacoll B, Turnheim B, Welch D, Wells P (2019) An agenda for sustainability transitions research: state of the art and future directions. *Environ Innov Soc Transit* 31:1–32. <https://doi.org/10.1016/j.eist.2019.01.004>
- Krasny ME, Delia J (2015) Natural area stewardship as part of campus sustainability. *J Clean Prod* 106:87–96. <https://doi.org/10.1016/j.jclepro.2014.04.019>
- Ladouceur E, Shackelford N, Bouazza K, Brudvig L, Bucharova A, Conradi T, Erickson TE, Garbowski M, Garvy K, Harpole WS, Jones HP, Knight T, Nsikani MN, Paterno G, Suding K, temperton VM, Török P, Winkler DE, Chase JM (2022) Knowledge sharing for shared success in the decade on ecosystem restoration. *Ecol Solut Evid* 3(1):e12117. <https://doi.org/10.1002/2688-8319.12117>
- Lewis SL, Maslin MA (2015) Defining the Anthropocene. *Nature* 519:171–180. <https://doi.org/10.1038/nature14258>
- Li F, Liu X, Zhang X, Zhao D, Liu H, Zhou C, Wang R (2017) Urban ecological infrastructure: an integrated network for ecosystem services and sustainable urban systems. *J Clean Prod* 163:S12–S18. <https://doi.org/10.1016/j.jclepro.2016.02.079>
- Lindenmayer D (2020) Improving restoration programs through greater connection with ecological theory and better monitoring. *Front Ecol Evol* 8:50. <https://doi.org/10.3389/fevo.2020.00050>
- Lodwick L (2013) *Creative Habitat Restoration: Comprehensive Planning, Implementation, and Long-Term Management*. Lehigh University Press, Bethlehem PA, USA
- Loorbach D, Frantzeskaki N, Avelino F (2017) Sustainability transitions research: transforming science and practice for societal change. *Annu Rev Environ Resour* 42:599–626. <https://doi.org/10.1146/annurev-environ-102014-021340>
- LoSchiavo AJ, Best RG, Burns RE, Dray S, Harwell MC, Hines EB, McLean AR, St Clair T, Traxler S, Vearil JW (2013) Lessons learned from the first decade of adaptive management in comprehensive Everglades restoration. *Ecol Soc* 18:70. <https://doi.org/10.5751/ES-06065-180470>
- Markard J, Raven R, Truffer B (2012) Sustainability transitions: an emerging field of research and its prospects. *Res Policy* 41:955–967. <https://doi.org/10.1016/j.respol.2012.02.013>
- Moreno-Mateos D, Barbier EB, Jones PC, Aronson J, Lopez-Lopez JA, McCrackin ML, Meli P, Montoya D, Rey Benayas JM (2017) Anthropogenic ecosystem disturbance and the recovery debt. *Nat Commun* 8:1–6. <https://doi.org/10.1038/ncomms14163>

- Moreno-Mateos D, Alberdi A, Morriën E, van der Putten WH, Rodriguez-Una A, Montoya D (2020) The long-term restoration of ecosystem complexity. *Nat Ecol Evol* 4:676–685. <https://doi.org/10.1038/s41559-020-1154-1>
- Mueller JM, Hellmann JJ (2008) An assessment of invasion risk from assisted migration. *Conserv Biol* 22:562–567. <https://doi.org/10.1111/j.1523-1739.2008.00952.x>
- Murray C, Marmorek D (2003) Adaptive management and ecological restoration. In: Friderici P (ed) *Ecological Restoration of Southwestern Ponderosa Pine Forests*. Island Press, Washington DC, USA, pp 417–428
- Naidoo CP (2020) Relating financial systems to sustainability transitions: challenges, demands and design features. *Environ Innov Soc Transit* 36:270–290. <https://doi.org/10.1016/j.eist.2019.10.004>
- Neeson TM, Moody AT, O’Hanley JR, Diebel M, Doran PJ, Ferris MC, Colling T, McIntyre PB (2018) Aging infrastructure creates opportunities for cost-efficient restoration of aquatic ecosystem connectivity. *Ecol Appl* 28:1494–1502. <https://doi.org/10.1002/eap.1750>
- Osborne T, Brock S, Chazdon R, Chomba S, Garen E, Gutierrez V, Lave R, Lefevre M, Sundberg J (2021) The political ecology playbook for ecosystem restoration: principles for effective, equitable, and transformative landscapes. *Glob Environ Change* 70:102320. <https://doi.org/10.1016/j.gloenvcha.2021.102320>
- Palmer MA, Filoso S (2009) Restoration of ecosystem services for environmental markets. *Science* 325:575–576. <https://doi.org/10.1126/science.1172976>
- Palmer MA, Hondula KL (2014) Restoration as mitigation: analysis of stream mitigation for coal mining impacts in southern Appalachia. *Environ Sci Technol* 48:10552–10560. <https://doi.org/10.1021/es503052f>
- Palmer MA, Bernhardt E, Allan J, Lake PS, Alexander G, Brooks S, Carr J, Clayton S, Dahm CN, Follstad Shah J, Galat DL, Loss SG, Goodwin P, Hart DD, Hassett B, Jenkinson R, Kondolf GM, Lave R, Meyer JL, O’Donnell TK, Pagano L, Sudduth E (2005) Standards for ecologically successful river restoration. *J Appl Ecol* 42:208–217. <https://doi.org/10.1111/j.1365-2664.2005.01004.x>
- Parks Canada and the Canadian Parks Council (2008) *Principles and Guidelines for Ecological Restoration in Canada’s Protected Natural Areas*. <https://www.pc.gc.ca/en/nature/science/conservation/ie-ei/re-er/pag-pel>. Accessed 8 Mar 2022
- Pellatt MG, Gedalof ZE (2014) Environmental change in Garry oak (*Quercus garryana*) ecosystems: the evolution of an eco-cultural landscape. *Biodivers Conserv* 23(8):2053–2067. <https://doi.org/10.1007/s10531-014-0703-9>
- Prescott SL, Logan AC (2017) Down to earth: planetary health and biophilosophy in the symbiocene epoch. *Challenges* 8(2):19. <https://doi.org/10.3390/challe8020019>
- Priyadarshini P, Abhilash PC (2020) Fostering sustainable land restoration through circular economy-governed transitions. *Restor Ecol* 28:719–723. <https://doi.org/10.1111/rec.13181>
- Rauschmayer F, Omann I (2014) Well-being in sustainability transitions: making use of needs. In: Syse KL, Mueller ML (eds) *Sustainable Consumption and the Good Life – Interdisciplinary Perspectives*. Routledge, Milton Park, pp 111–125
- Raworth K (2017) A Doughnut for the Anthropocene: humanity’s compass in the 21st century. *Lancet Planet Health* 1:e48–e49. [https://doi.org/10.1016/S2542-5196\(17\)30028-1](https://doi.org/10.1016/S2542-5196(17)30028-1)
- Rayne A, Byrnes G, Collier-Robinson L et al (2020) Centring Indigenous knowledge systems to reimagine conservation translocations. *People and Nature* 2(3):512–526. <https://doi.org/10.1002/pan3.10126>
- Richter BD, Thomas GA (2007) Restoring environmental flows by modifying dam operations. *Ecol Soc* 12(1):12. www.ecologyandsociety.org/vol12/iss1/art12/ Accessed 10 June 2022
- Rogge KS, Reichardt K (2016) Policy mixes for sustainability transitions: an extended concept and framework for analysis. *Res Policy* 45:1620–1635. <https://doi.org/10.1016/j.respol.2016.04.004>
- Sandifer PA, Sutton-Grier AE, Ward BP (2015) Exploring connections among nature, biodiversity, ecosystem services, and human health and well-being: opportunities to enhance health and biodiversity conservation. *Ecosyst Serv* 12:1–15. <https://doi.org/10.1016/j.ecoser.2014.12.007>

- Sandler R (2020) The ethics of genetic engineering and gene drives in conservation. *Conserv Biol* 34:378–385. <https://doi.org/10.1111/cobi.13407>
- Schäpke N, Rauschmayer F (2014) Going beyond efficiency: including altruistic motives in behavioral models for sustainability transitions to address sufficiency. *Sustain Sci Pract Policy* 10(1):29–44. <https://doi.org/10.1080/15487733.2014.11908123>
- Schell CJ, Dyson K, Fuentes TL, Des Roches S, Harris NC, Miller DS, Woelfle-Erskine CA, Lambert MR (2020) The ecological and evolutionary consequences of systemic racism in urban environments. *Science* 369:eay4497. <https://doi.org/10.1126/science.aay4497>
- Sengers F, Wieczorek AJ, Raven R (2019) Experimenting for sustainability transitions: a systematic literature review. *Technol Forecast Soc Change* 145:153–164. <https://doi.org/10.1016/j.techfore.2016.08.031>
- Shackelford N, Murray SM, Bennett JR, Lilley PL, Starzomski BM, Standish RJ (2019) Ten years of pulling: ecosystem recovery after long-term weed management in Garry oak savanna. *Conserv Sci Pract* 1(10):e92. <https://doi.org/10.1111/csp2.92>
- Shahid MJ, Arslan M, Ali S, Siddique M, Afzal M (2018) Floating wetlands: a sustainable tool for wastewater treatment. *Clean–Soil, Air, Water* 46:1800120. <https://doi.org/10.1002/clen.201800120>
- Steffen W, Richardson K, Rockström J, Cornell SE, Fetzer I, Bennett EM, Biggs R, Carpenter SR, de Vries W, de Wit CA, Folke C, Gerten D, Heinke J, Mace GM, Persson LM, Ramanathan V, Rayers B, Sörlin S (2015) Planetary boundaries: guiding human development on a changing planet. *Science* 347:1259855. <https://doi.org/10.1126/science.1259855>
- Suding KN (2011) Toward an era of restoration in ecology: successes, failures, and opportunities ahead. *Annu Rev Ecol Evol Syst* 42:465–487. <https://doi.org/10.1146/annurev-ecolsys-102710-145115>
- Suding KN, Hobbs RJ (2009) Threshold models in restoration and conservation: a developing framework. *Trends Ecol Evol* 24(5):271–279. <https://doi.org/10.1016/j.tree.2008.11.012>
- Suding K, Higgs E, Palmer M, Callicot JB, Anderson CB, Baker M, Gutrich JJ, Hondula KL, Lafavor MC, Larson BMH, Randall A, Ruhl JB, Schwartz KZS (2015) Committing to ecological restoration. *Science* 348:638–640. <https://doi.org/10.1126/science.aaa4216>
- Truffer B, Coenen L (2012) Environmental innovation and sustainability transitions in regional studies. *Reg Stud* 46:1–21. <https://doi.org/10.1080/00343404.2012.646164>
- United Nations General Assembly, 2007
- Urzedo D, Pedrini S, Vieira DL, Sampaio AB, Souza BDF, Campos Filho EM, Pina Rodrigues FCM, Schmidt IB, Junqueira RGP, Dixon K (2022) Indigenous and local communities can boost seed supply in the UN decade on ecosystem restoration. *Ambio* 51:557–568. <https://doi.org/10.1007/s13280-021-01593-z>
- Vitousek PM, Mooney HA, Lubchenco J, Melillo JM (1997) Human domination of Earth's ecosystems. *Science* 277:494–499. <https://doi.org/10.1126/science.277.5325.494>
- Wehi PM, Lord JM (2017) Importance of including cultural practices in ecological restoration. *Conserv Biol* 31:1109–1118. <https://doi.org/10.1111/cobi.12915>
- Wells HB, Kirobi EH, Chen CL, Winowiecki LA, Vågen TG, Ahmad MN, Stringer LC, Dougill AJ (2021) Equity in ecosystem restoration. *Restor Ecol* 29:e13385. <https://doi.org/10.1111/rec.13385>
- Wendling LA, Holt EE (2020) Integrating engineered and nature-based solutions for urban stormwater management. In: O'Bannon DJ (ed) *Women in water quality, women in engineering and science*. Springer Nature, Switzerland, pp 23–46
- Young TP, Schwartz MW (2019) The decade on ecosystem restoration is an impetus to get it right. *Conserv Sci Pract* 1(12):e145. <https://doi.org/10.1111/csp2.145>
- Young TP, Petersen D, Clary J (2005) The ecology of restoration: historical links, emerging issues and unexplored realms. *Ecol Lett* 8:662–673. <https://doi.org/10.1111/j.1461-0248.2005.00764.x>
- Yue L, Shi Q (2017) Ecological rehabilitation measures in civil airport construction projects in different ecologically vulnerable regions in China. *J Resour Ecol* 8:405–412
- Zedler JB (2007) Success: an unclear, subjective descriptor of restoration outcomes. *Ecol Restor* 25:162–168. <https://doi.org/10.3368/er.25.3.162>